



Back to the BASICS Fall 2019



CALDARELLA'S RESTAURANT SUPPLY

Family owned & operated since 1898

Telephone: (915) 771-7780

Toll Free: 1 (877) 741-8038

caldarellas.com

Money Saving

COUPONS INSIDE



ARGYLE DINNERWARE

- Bright white, wide rim, rolled edge porcelain
- Vitrified porcelain hotelware
- Microwave and dishwasher safe
- Lead free

Item #	Description	Price/dz.	ARG-31	Platter RE, 22"	Call
ARG-11	Fruit Bowl, 3 1/2 oz., 4 3/4"	Call	ARG-50	Cup, 3 oz.	Call
ARG-77-B	Jung Bowl, 7 oz., 4 1/4"	Call	ARG-35	Cup A.D., 3 1/2 oz.	Call
ARG-95	Jung Bowl, 9 1/2 oz., 4 1/2"	Call	CTC-45-P	Chinese Tea Cup, 4 1/2 oz.	Call
ARG-135	Jung Bowl, 13 oz., 4 3/4"	Call	ARG-CT	Tall Cup, 7 oz.	Call
ARG-5	Plate, 5 1/2"	Call	ARG-1	Tall Cup, 7 oz.	Call
ARG-6	Plate, 6 1/2"	Call	ARG-52	Stackable Cup, 8 oz.	Call
ARG-7	Plate, 7 1/4"	Call	BNT-P	Bounty Mug, 8 oz.	Call
ARG-22	Plate, 8 3/4"	Call	VNT-P	Venture Mug, 8 oz.	Call
ARG-8	Plate, 9"	Call	SM-P8	Summit Stackable Mug, 8 oz., 3"	Call
ARG-9	Plate, 9 3/4"	Call	SM-P	Summit Stackable Mug, 10 oz., 3 1/4"	Call
ARG-16	Plate, 10 1/4"	Call	ARG-56	Cappuccino Cup, 12 oz.	Call
ARG-20	Plate, 11"	Call	ARG-59	Cappuccino Cup, 16 oz., 4 7/8" x 2 1/2"	Call
ARG-21	Plate, 12"	Call	ARG-36	Saucer, 5"	Call
ARG-39	Platter RE, 8 1/8"	Call	ARG-2	Saucer, 6"	Call
ARG-12	Platter, 9 3/4"	Call	ARG-57	Saucer, 6 7/8"	Call
ARG-112	Platter RE, 10 1/2"	Call	ARG-SS	Salt Shaker, 2 7/8"	Call
ARG-13	Platter, 11 1/2"	Call	ARG-PS	Pepper Shaker, 2 7/8"	Call
ARG-13-E	Deep Well Platter, 11 1/2"	Call	SPH-P	Sugar Packet Holder, 3 1/2"	Call
ARG-14	Platter, 12 1/2"	Call	CRE-4-P	Creamer, 4 1/2 oz.	Call
ARG-114	Platter, 13 1/4"	Call	ARG-SP8	Spoon, 5 1/8"	Call
ARG-28	Buffet Platter, 15 1/2"	Call	ARG-TP	Complete Tea Pot, 15 oz.	Call
ARG-29	Platter, 18"	Call	ARG-TL	Tea Pot Lid	Call



HOTEL MUG

- Bright white porcelain body

Item #	Description	Price/dz.
HM-P	11 oz., 3 1/8"	Call



TRADITIONAL BROWN MUG

- Nevada mug

Item #	Description	Price/dz.
NVD-P	8 oz., 3", Carmel	Call



CREAMERS

- Bright white porcelain body

Item #	Description	Price/dz.
CRE-3-PR	3 oz.	Call
CRE-6-PR	6 oz.	Call

ECONOMY STEAK KNIFE

- Round tip, stainless steel blade with hardwood handle

Item #	Description	Price/dz.
760527	3 3/4", Economy Steak Knife	Call



JUMBO STEAK KNIVES

- Stainless steel jumbo round tip blade

Item #	Description	Price/dz.
660537	Utica II™ 5" Blade, Hardwood Handle	Call
620527	5" Blade, Black Polypropylene Handle w/2 Rivets	Call



STEAK KNIVES

- Stainless steel blades


Item #	Description	Price/dz.
770527	4 1/4" Pointed Tip Blade, Black Polypropylene Handle	Call
790527	4 5/8" Round Tip Blade, Black Textured Polypropylene Handle	Call
740527	5" Pointed Tip Blade, Hardwood Handle	Call



PACIFIC RIM™ FLATWARE

- 18/10 flatware protects against staining and shines like silver
- Heavy weight mirror finished rim pattern

Item #	Description	Price/dz.
PAC01	Teaspoon	Call
PAC07	Dessert Spoon	Call
PAC12	Bouillon Spoon	Call
PAC05	Dinner Fork	Call
PAC06	Salad Fork	Call
PAC45	Dinner Knife, 1-Pc.	Call



MELAMINE RAMEKINS

- Made of melamine, a break-resistant material that is ideal for high volume, fast paced foodservice environments
- Available in these other colors: Bone (B) & White (W)

Item #	Description	Price/dz.	SMOOTH		
FLUTED					
RFP-1K	Black, 1 1/2 oz.	Call	RP-1K	Black, 1 1/2 oz.	Call
RFP-2K	Black, 2 oz.	Call	RP-2K	Black, 2 oz.	Call
RFP-3K	Black, 3 oz.	Call	RP-3K	Black, 3 oz.	Call
RFP-4K	Black, 4 oz.	Call	RP-4K	Black, 4 oz.	Call
RFP-6K	Black, 6 oz.	Call	RP-6K	Black, 6 oz.	Call



New!



ATLANTIC FLATWARE

- Satin mirror finish
- Designed with a teardrop-shaped handle and narrow neck
- Accented with elegant contoured lines along its outline, this flatware adds a classic yet sophisticated touch to both casual and formal dining
- Heavy weight 18/10 stainless steel

Item # Description Price/dz.

HEAVYWEIGHT

SLAT201	Demitasse Spoon	Call
SLAT202	Tea Spoon	Call
SLAT203	Bouillon Spoon	Call
SLAT204	Dinner Spoon	Call
SLAT210	Table Spoon (European Size)	Call
SLAT205	Iced Tea Spoon	Call
SLAT212	Table Fork (European Size)	Call
SLAT206	Dinner Fork	Call
SLAT207	Salad Fork	Call
SLAT211	Butter Knife	Call
SLAT209	Dinner Knife	Call

EXTRA HEAVYWEIGHT

SLAT215	Hollow Handle Table Knife	Call
SLAT216	Steak Knife	Call
SLAT218	Table Knife (European Size)	Call
SLAT219	Salad Knife	Call



SIMPLICITY FLATWARE

- Stainless steel fabrication is immune to corroding, warping and flexing
- Finely polished chrome mirror finish
- Reliable, sturdy construction for an exceptional comfort in use
- Heavy weight 18/10 stainless steel

Item # Description Price/dz.

HEAVYWEIGHT

SLSM202	Tea Spoon	Call
SLSM203	Bouillon Spoon	Call
SLSM204	Dinner Spoon	Call
SLSM205	Iced Tea Spoon	Call
SLSM210	Table Spoon	Call
SLSM206	Dinner Fork	Call
SLSM207	Salad Fork	Call
SLSM208	Oyster Fork	Call
SLSM212	Table Fork	Call
SLSM211	Butter Knife	Call

EXTRA HEAVYWEIGHT

SLSM209	Dinner Knife	Call
---------	--------------	------

New!

DAKOTA FLATWARE

- A durable, shiny finished, flatware set with simple line-trimmed handle
- Thickness range from 2 mm to 2.2 mm
- Heavy weight 18/0 stainless steel

Item # Description Price/dz.

HEAVYWEIGHT

SLDK102	Tea Spoon	Call
SLDK103	Bouillon Spoon	Call
SLDK104	Dessert Spoon	Call
SLDK105	Iced Tea Spoon	Call
SLDK106	Dinner Fork	Call
SLDK106F	Dinner Fork 4 Tines	Call
SLDK107	Salad Fork	Call
SLDK108	Oyster Fork	Call

EXTRA HEAVYWEIGHT

SLDK109	Dinner Knife	Call
---------	--------------	------



New!

WILSHIRE FLATWARE

- Smooth polished chrome mirror finish
- Heavy weight 18/10 stainless steel construction

Item # Description Price/dz.

HEAVYWEIGHT

SLWH201	Demitasse Spoon	Call
SLWH202	Tea Spoon	Call
SLWH203	Bouillon Spoon	Call
SLWH204	Dinner Spoon	Call
SLWH205	Iced Tea Spoon	Call
SLWH206	Dinner Fork	Call
SLWH207	Salad Fork	Call
SLWH208	Oyster Fork	Call
SLWH210	Table Spoon (European Size)	Call
SLWH211	Butter Knife	Call
SLWH212	Table Fork (European Size)	Call

EXTRA HEAVYWEIGHT

SLWH209	Dinner Knife	Call
SLWH216	Salad Knife	Call



New!

SALEM FLATWARE

- A durable, satin finished, flatware set with shaped decoration on handle neck
- Thickness range from 2 mm to 2.2 mm
- Heavy weight 18/0 stainless steel

Item # Description Price/dz.

HEAVYWEIGHT

SLAM102	Tea Spoon	Call
SLAM103	Bouillon Spoon	Call
SLAM104	Dessert Spoon	Call
SLAM105	Iced Tea Spoon	Call
SLAM106	Dinner Fork	Call
SLAM107	Salad Fork	Call

EXTRA HEAVYWEIGHT

SLAM109	Dinner Knife	Call
---------	--------------	------



TAHOE FLATWARE

- A durable, shiny finished, flatware set with simple line-trimmed handles
- Thickness range from 2 mm to 2.2 mm
- Heavy weight 18/0 stainless steel

Item # Description Price/dz.

HEAVYWEIGHT

SLTE102	Tea Spoon	Call
SLTE103	Bouillon Spoon	Call
SLTE104	Dessert Spoon	Call
SLTE106	Dinner Fork	Call
SLTE107	Salad Fork	Call

EXTRA HEAVYWEIGHT

SLTE109	Dinner Knife	Call
---------	--------------	------





LUNAR™ CHAFERS

- Simple, affordable and elegant, the Walco Lunar™ Chafer is available with your choice of mirror finish or hammered lid
- Choose the hammered lid to match our extensive line of Ironstone™ products
- Accent your buffet presentation with Ironstone or mirror finish spoon rests
- Full size elegant styled
- Simple open function to 90 degrees



Item #	Description	Price/ea.
L8HL	8 qt., Hammered Finish Lid	Call
L8ML	8 qt., Mirror Finish Lid	Call



MIRAGE® INDUCTION CHAFERS

- Designed to work with Vollrath induction buffet warmers and other Vollrath induction products
- Chafers accept standard size steam table pans
- Self-closing lid helps keep food hot
- Includes food pan

Item #	Description	Price/ea.
4644010	Full Size, w/Glass Lid	Call
4644015	Full Size, w/Stainless Lid	Call
4644020	2/3 Size, w/Glass Lid	Call
4644025	2/3 Size, w/Stainless Lid	Call



MIRAGE® COUNTERTOP INDUCTION BUFFET WARMERS

- Maximize your menu offerings without maxing out your electrical capacity
- Connect up to 3 units together with an inter-connect cord and only run one power cord to outlet on wall
- Subtle, low-profile, attractive design coordinates with any serving set-up
- Four power levels - low, medium, high and chafer preheat
- LED indicator lights on control panel and glass

Item #	Description	Price/ea.
5950275	16" x 16", Black, 300W	Call
5950280	16" x 16", Natural, 300W	Call
5950875	16" x 23", Black, 375W	Call
5950880	16" x 23", Natural, 375W	Call



MALIBU CHAFERS

- Classic art deco design with gold accents
- Polished stainless steel with mirror finish covers
- Full-size chafer features a frame clip for the cover
- Includes food pan, water pan and fuel holder(s)

Item #	Description	Sell Unit	Price/ea.
201	8 qt., Full Size	Set	Call
202	6 qt., Oval	Set	Call
203	4 qt., Round	Set	Call



EASY HEAT® CHAFING FUEL

- Adjustable wick liquid chafing fuel
- Three-heat option wick: 6, 3 or 8 hours

Item #	Description	Sell Unit	Price/cs.
EZ 6-3-8	6 Hours, 9 1/2 oz., 2 3/8" H x 3 3/8" dia.	24/cs.	Call

BUTANE FUEL

- UL Listed to include any Hollowick or BBQ1000 Series Stove
- Burns up to 2 hours at high heat and up to 4 hours at simmer

Item #	Description	Sell Unit	Price/cs.
BF008	8 oz. Canister (227 g.)	12/cs.	Call

LIQUID WAX FUEL CELLS

- Ideal where table/lighting space is at a premium
- No wax mess to clean up
- Clean simple operation
- Non-flammable liquid fuel

Item #	Description	Sell Unit	Price/cs.
HD8-180	8 hr., 1 3/16" H x 1 1/2" dia.	180/cs.	Call
HD12-144	12 hr., 1 3/16" H x 2" dia.	144/cs.	Call
HD15	15 hr., 1 3/4" H x 1 3/4" dia.	96/cs.	Call
HD17	17 hr., 2 1/4" H x 2" dia.	48/cs.	Call
HD36	36 hr., 2 3/5" H x 2 5/8" dia.	24/cs.	Call
HD50	50 hr., 3 5/16" H x 2 3/8" dia.	48/cs.	Call

CHROME TAPERED POURER

- Seamless, tapered spout allows controlled, medium speed pouring
- The most popular pourer in the world
- Packed 12 per poly bag

Item #	Description	Sell Unit	Price/dz.
285-50	w/Poly Cork	1/dz.	Call

CHROME TAPERED POURER

- Seamless, tapered spout allows controlled, medium speed pouring
- The most popular pourer in the world
- Packed 12 per poly bag

Item #	Description	Sell Unit	Price/dz.
285-60	w/X-Large Poly Cork	1/dz.	Call



BAN-M® SCREENED POURERS

- Pourer with screen
- Keeps insects out

Item #	Description	Sell Unit	Price/dz.
313-00	Clear/Black Collar	1/dz.	Call
313-02	Smoke/Black Collar	1/dz.	Call
313-03	Red/Black Collar	1/dz.	Call
313-04	Green/Black Collar	1/dz.	Call
313-05	Blue/Black Collar	1/dz.	Call
313-06	Amber/Black Collar	1/dz.	Call

PLASTIC POURERS

- Inexpensive, one-piece design
- Molded of an extremely soft, flexible material that will last
- Color code your bottles by brand or price

Item #	Description	Sell Unit	Price/dz.
350 Plastic Pourer	Available in 10 Colors	1/dz.	Call



POSI-POR 2000 POURER

- Posi-Por free pourer is made of the same high quality materials as the measuring pourers
- Standard cork will fit fifth, quart and liter bottles
- Available in three cork sizes

Item #	Description	Sell Unit	Price/dz.
389-24	Red/Black Collar Shown Above, Also Available in 7 Colors & 10 Sizes	1/dz.	Call



GLASS BRUSHES

- Solid cast base with rubber suction holds firmly to bottom of sink
- Extra brushes are available
- Made in USA

Item #	Description	Price/ea.
542-00	Double	Call
543-00	Triple	Call

BAR DRAIN TRAY

- Complete with drain extension tube that fits into #13-700 overflow pipe

Item #	Description	Price/ea.
13-760	14" L x 5" W x 3" D	Call



BAR AIDE

- This organizer eliminates fumbling for your cocktail accessories
- Six compartments for napkins, straws, picks, etc.

Item #	Description	Price/ea.
150-00	Black	Call



NSF

UTILITY KNIFE

- A new angle on the utility knife for the ultimate in kitchen prep
- Full of features, this handy little knife is outfitted with a soft-grip handle and a thumb groove for precision handling
- A partial serrated edge easily pierces skins and peels

Item #	Description	Price/dz.
KPR-30	3 1/2" L, Black Handle	Call

SOFTEK KNIVES

- Soft grip handle

Item #	Description	Price/2 pk.
KSTK-30	3 1/4" Paring Knife, Sold in 2 Packs	Call
KSTK-31	3 1/2" Paring Knife, Serrated, Sold in 2 Packs	Call
Item #	Description	Price/ea.
KSTK-50	5 1/2" Serrated Utility Knife	Call
KSTK-60	6" Boning Knife, Curved	Call
KSTK-61	6" Boning Knife, Narrow	Call
KSTK-62	6" Boning Knife, Wide	Call
KSTK-70	7" Santoku Knife	Call
KSTK-82	8" Flex Fish Knife	Call
KSTK-80	8" Cook's Knife	Call
KSTK-92	9" Offset Utility/Bread Knife	Call
KSTK-91	9 1/2" Bread Knife	Call
KSTK-100	10" Cook's Knife	Call
KSTK-103	10" Hollow Ground Cimenter Knife	Call
KSTK-102	10" Wide Bread/Pastry Knife	Call
KSTK-122	12" Roast Beef Slicer	Call
KSTK-121	12" Wavy Edge Slicer, Straight	Call
KSTK-140	14" Hollow Ground Slicer, Wide	Call

NSF



SERVING UTENSILS

- Also available in Clear (C) or Red (R)

Item #	Description	Price/ea.
CVST-6K	6" Utility Tongs, Black	Call
CVST-9K	9" Utility Tongs, Black	Call
CVST-12K	12" Utility Tongs, Black	Call
CVLD-13K	1 oz., 13" Ladle, Black	Call
CVLD-8K	3/4 oz., 8 1/2" Ladle, Black	Call
CVPS-13K	13" Perforated Serving Spoon, Black	Call
CVPS-15K	15" Perforated Serving Spoon, Black	Call
CVSS-13K	13" Serving Spoon, Black	Call
CVSS-15K	15" Serving Spoon, Black	Call
CVBS-10K	3/4 oz., 10" Buffet Spoon, Black	Call

Winco



NSF

VOLLRATH

DELIVERY/CATERING BAGS

- Constructed of high-performance thermal insulation
- Moisture-resistant outer shell material shelters food from the elements
- Extra reinforced stitching & handles made from heavy-duty webbing
- Solid floor panels ensure bags remain rigid while transporting beverages
- Adjustable heavy-duty carry straps
- Power pack (for VCBL5P00) provides five heat settings



Item #	Description	Price/ea.
VDBM500	17" L x 13" W x 9" H, Medium Delivery Bag w/Vinyl Liner & 12 Compartment Divider Insert	Call
VDBM300	17" L x 13" W x 9" H, Medium Delivery Bag w/Vinyl Liner	Call
VCBL300	Large Catering Bag, 23" L x 15" W x 14" H, Removable Liner & 3 Pan Separators, Opt. Retrofit Heat Pads	Call
VCBL500	Large Cater Bag, Rmvble Liner, 3 Pan Separators & Heat Pad w/120VAC Power Cord, Opt. 12v Power Cord for In-Car Use	Call
VCBL5P00	Large Catering Bag, Portable Power Pack w/Heat Pad, 120 VAC & 12v Car Charger, Removable Wire Frame Insert	Call
VCBM300	Medium Catering Bag, 17" L x 13" W x 9" H, Removable Liner & 2 Pan Separators	Call
VCBM500	Medium Catering Bag, Removable Liner, 2 Pan Separators & Heat Pad w/120VAC Power Cord, Opt. 12v Power Cord for In-Car Use	Call



SUPER PAN V® STEAMTABLE PANS

- 22 GA 300 Series stainless steel pans with newly designed pour corners
- Up to 300% stronger, will resist dents and dings in the toughest kitchen environments
- Limited lifetime warranty
- Made in USA



Item #	Description	Price/ea.	Item #	Description	Price/ea.
30022	Full Size, 8.3 qt., 2 1/2"D	Call	30342	1/3 Size, 4.1 qt., 4"D	Call
30042	Full Size, 14 qt., 4"D	Call	30422	1/4 Size, 1.8 qt., 2 1/2"D	Call
30122	2/3 Size, 5.6 qt., 2 1/2"D	Call	30442	1/4 Size, 3 qt., 4"D	Call
30142	2/3 Size, 9.3 qt., 4"D	Call	30622	1/6 Size, 1.2 qt., 2 1/2"D	Call
30222	1/2 Size, 4.3 qt., 2 1/2"D	Call	30642	1/6 Size, 1.8 qt., 4"D	Call
30242	1/2 Size, 6.7 qt., 4"D	Call	30822	1/8 Size, .82 qt., 2 1/2"D	Call
30522	1/2 Long, 3.7 qt., 2 1/2"D	Call	30842	1/8 Size, 1.3 qt., 4"D	Call
30542	1/2 Long, 5.7 qt., 4"D	Call	30922	1/9 Size, .6 qt., 2 1/2"D	Call
30322	1/3 Size, 2.6 qt., 2 1/2"D	Call	30942	1/9 Size, 1.1 qt., 4"D	Call

CAMBRO



TRANSLUCENT FOOD PANS & COVERS

- Translucent polypropylene handles temps from -40°F to 160°F
- Non-stick smooth interior surface increases yield and eases cleaning
- Uniform flange width ensures a smooth fit for prep tables and rails

Item #	Description	Price/ea.
92PP	1/9 Size, 2"D, Pan	Call
94PP	1/9 Size, 4"D, Pan	Call
62PP	1/6 Size, 2"D, Pan	Call
64PP	1/6 Size, 4"D, Pan	Call
66PP	1/6 Size, 6"D, Pan	Call
42PP	1/4 Size, 2"D, Pan	Call
44PP	1/4 Size, 4"D, Pan	Call
46PP	1/4 Size, 6"D, Pan	Call
32PP	1/3 Size, 2"D, Pan	Call
34PP	1/3 Size, 4"D, Pan	Call
36PP	1/3 Size, 6"D, Pan	Call
24PP	1/2 Size, 4"D, Pan	Call
26PP	1/2 Size, 6"D, Pan	Call
14PP	Full Size, 4"D, Pan	Call
16PP	Full Size, 6"D, Pan	Call
90PPC	1/9 Size, Flat Cover	Call
60PPCH	1/6 Size, Cover w/Handle	Call
60PPCHN	1/6 Size, Notched Cover w/Handle	Call
40PPCH	1/4 Size, Cover w/Handle	Call
30PPCH	1/3 Size, Cover w/Handle	Call
30PPCHN	1/3 Size, Notched Cover w/Handle	Call
20PPCH	1/2 Size, Cover w/Handle	Call
10PPCH	Full Size, Cover w/Handle	Call

TOWER BAGS

- Durable, high-quality moisture-resistant outer shell material shelters food from elements & helps maintain temperature
- All tower bags measure 17"L x 18"W x 22"H

Item #	Description	Price/ea.
VTB300	Optional Retrofit Heat Pads	Call
VTB500	Heat Pad w/120VAC Power Cord, Opt. 12v Power Cord for In-Car Use	Call
<i>Wire Frame Insert Included</i>		
VTBW300	Optional Retrofit Heat Pads	Call
VTBW500	Heat Pad w/120VAC Power Cord, Opt. 12v Power Cord for In-Car Use	Call



VTBW300

PIZZA BAGS

- Moisture-resistant outer shell material shelters food from the elements
- Extra reinforced stitching

Item #	Description	Price/ea.
VPB316	17 1/2"L x 17 1/2"W x 9"H, Optional Retrofit Heat Pads	Call
VPB318	19"L x 19"W x 9"H, Optional Retrofit Heat Pads	Call
VPB516	17 1/2"L x 17 1/2"W x 9"H, Heat Pad w/Power Cord, Opt. 12v Car Pwr Cord	Call
VPB518	19"L x 19"W x 9"H, Heat Pad w/Power Cord, Opt. 12v Car Power Cord	Call



VPB316

FOOD BACKPACKS

- 13"L x 16"W x 14"H
- Super durable, high-quality moisture-resistant outer shell material shelters food elements and help maintain temperature
- High-performance insulation to maintain the temperature and quality of food on the go
- Integrated frame for added stability

Item #	Description	Price/ea.
VDBBM300	Optional Retrofit Heat Pads	Call
VDBBM500	Heat Pad w/120VAC Power Cord, Opt. 12v Power Cord for In-Car Use	Call
VDBBM5P00	Portable Power Pack w/Heat Pad, 120 VAC & 12v Car Charger	Call



VDBBM300

SEAL COVERS

- Inner seal provides a tight seal, reducing spills and extending product freshness
- Translucent color allows for product visibility
- Withstands temperatures from -40°F to 160°F



Item #	Description	Price/ea.
10PPCWSC	Full Size, Translucent	Call
20PPCWSC	1/2 Size, Translucent	Call
30PPCWSC	1/3 Size, Translucent	Call
40PPCWSC	1/4 Size, Translucent	Call
60PPCWSC	1/6 Size, Translucent	Call
90PPCWSC	1/9 Size, Translucent	Call

CAMSQUARE® TRANSLUCENT FOOD STORAGE CONTAINER

- High chemical resistance
- Color matching system and graduations
- Snap-tight cover is not included

Item #	Description	Price/ea.
18PP	18 qt., Midnight Blue Markings	Call



ELEMENTS PANS & POTS W/LIDS

- These stainless steel pots and pans work perfectly over all types of heat sources, including induction cooking
- Ideal for boiling or simmering vegetables, soups or sauces; stock pots for large batchcooking
- The brazier is also known as a rondeau pan, the wide bottom makes it ideal for slow cooking of meats and vegetables
- A 4mm tri-ply base allows for even heat distribution while the long hollow handle is cool to the touch
- For extra durability in even extreme kitchen environments, the handle is riveted to the pan
- Includes a dome lid for self-basting cooking or steaming

New!



Item #	Descr.	Price/ea.	Item #	Descr.	Price/ea.
SAUCE PANS			STOCK POTS		
5734032	2 qt.	Call	5733908	8 qt.	Call
5734033	3 1/2 qt.	Call	5733912	12 qt.	Call
5734034	4 1/2 qt.	Call	5733916	16 qt.	Call
5734035	5 3/10 qt.	Call	5733920	20 qt.	Call
5734037	7 3/5 qt.	Call	5733924	24 qt.	Call
5734040	10 qt.	Call	5733932	32 qt.	Call
BRAZIERS			SAUTE PANS		
5734014	15 qt.	Call	5733940	40 qt.	Call
5734019	20 qt.	Call	5733960	60 qt.	Call
5734024	25 qt.	Call	5734185	5 qt.	Call
5734030	30 qt.	Call	5734187	7 qt.	Call

ELEMENTS FRY PANS - NATURAL FINISH & NON-STICK

New!



- Ideal for all types of heat sources, including induction cooking
- The curved sides make them a perfect solution for frying, searing, sautéing or browning meats
- The 4mm tri-ply base allows for even heat distribution while a hollow handle is cool to the touch
- A curved, ergonomic handle is riveted to the body for easy transporting or transferring of cooked food product
- Non-stick pans are treated with a high-quality Teflon Select coating that provides long-lasting durability and excellent release properties
- For best results, use natural finish fry pans when cooking with oil

Item #	Description	Sell Unit	Price/cs.
NON-STICK			
5734048	8"	6/cs.	Call
5734050	9 1/2"	6/cs.	Call
5734051	11"	6/cs.	Call
5734052	12 1/2"	4/cs.	Call
5734054	14"	4/cs.	Call
NON-STICK			
5734058	8"	6/cs.	Call
5734060	9 1/2"	6/cs.	Call
5734061	11"	6/cs.	Call
5734062	12 1/2"	4/cs.	Call
5734064	14"	4/cs.	Call

STOCK POTS

- Mediumweight aluminum stock pot



Item #	Description	Price/ea.
ROY RSPT 8 M	8 qt.	Call
ROY RSPT 12 M	12 qt.	Call
ROY RSPT 16 M	16 qt.	Call
ROY RSPT 20 M	20 qt.	Call
ROY RSPT 24 M	24 qt.	Call
ROY RSPT 30 M	30 qt.	Call
ROY RSPT 40 M	40 qt.	Call
ROY RSPT 50 M	50 qt.	Call
ROY RSPT 60 M	60 qt.	Call
ROY RSPT 80 M	80 qt.	Call
ROY RSPT 100 M	100 qt.	Call
ROY RSPT 120 M	120 qt.	Call
ROY RSPT 140 M	140 qt.	Call
ROY RSPT 160 M	160 qt.	Call



SAUCE PANS

- Straight sided aluminum

Item #	Descr.	Price/ea.
ROY RSP 1	1 1/2 qt.	Call
ROY RSP 2	2 3/4 qt.	Call
ROY RSP 3	3 3/4 qt.	Call
ROY RSP 4	4 1/2 qt.	Call
ROY RSP 5	5 1/2 qt.	Call
ROY RSP 7	7 qt.	Call
ROY RSP 8	8 1/2 qt.	Call
ROY RSP 10	10 qt.	Call



BRAZIERS

- 4mm standard weight aluminum brazier w/lid

Item #	Description	Price/ea.
ROY BRAZ SW 12	12 qt.	Call
ROY BRAZ SW 14	14 qt.	Call
ROY BRAZ SW 20	20 qt.	Call
ROY BRAZ SW 24	24 qt.	Call
ROY BRAZ SW 30	30 qt.	Call
ROY BRAZ SW 35	35 qt.	Call
ROY BRAZ SW 40	40 qt.	Call



STOCK POTS

- 6 mm heavyweight aluminum stock pot

Item #	Descr.	Price/ea.
ROY RSPT 8 H	8 qt.	Call
ROY RSPT 12 H	12 qt.	Call
ROY RSPT 16 H	16 qt.	Call
ROY RSPT 20 H	20 qt.	Call
ROY RSPT 24 H	24 qt.	Call
ROY RSPT 30 H	30 qt.	Call
ROY RSPT 40 H	40 qt.	Call
ROY RSPT 50 H	50 qt.	Call
ROY RSPT 60 H	60 qt.	Call
ROY RSPT 80 H	80 qt.	Call
ROY RSPT 100 H	100 qt.	Call



BIB APRON

- Wide neck straps for added comfort
- Extra coverage for clothing protection
- Breathable, flexible 65/35 Cotton/Poly blend
- Easy to tie, longer flexible shoelace strings
- Tapered fit for unrestricted movement

Item #	Description	Sell Unit	Price/ea.
BIAWH	32"W x 32½"L, Pen Pocket, White	60/ea.	Call

VINYL BIB DISHWASHER APRON

- Long, lightweight clear vinyl apron is ideal for anyone working in wet or messy conditions
- Dishwasher or food prep workers will use this apron
- Bib front style protects clothing from neck to lower legs

Item #	Description	Sell Unit	Price/ea.
OSVA	34" x 47", Clear	24/ea.	Call

RIBBED BAR MOP TOWELS

- 100% cotton terry is super absorbent
- Machine washable

Item #	Description	Price/dz.
BMR	White, 16" x 19", 28 oz.	Call

BAR MOP

- 24 oz. ribbed terry bar mop towels

Item #	Description	Price/dz.
LBMR	16" x 19", Boxed	Call



Top Selling Items



PG1-2



2PX25BETF



2PX27BETF



RZS685BK17

PAN GRABBER

- Slip your hand through the convenient wrist slit and keep protection close
- Machine washable with a thick terry construction

Item #	Description	Sell Unit	Price/pr.
PG1-2	Pangrabber Terry, 9" x 11", Beige	72/pr.	Call

PYROTEX® OVEN MITTS

- PyroTex® flame-resistant fabric with a 450°F temperature protection
- Seamless grip prevents heat penetration
- Kevlar thread for longer product life
- Fewer quilt holes reduce heat penetration

Item #	Description	Sell Unit	Price/pr.
2PX25BETF	15", Forearm Length, Beige	72/pr.	Call
2PX27BETF	17", Elbow Length, Beige	72/pr.	Call

RITZ® 685° SILICONE OVEN MITT

- Temperature resistant up to 685°
- Bleach resistant & dishwasher and laundry safe
- Unique tread design for confident grip; silicone exterior, 100% cotton interior
- Mitt protects against steam, boiling water, heat, fryer oil, and flames; won't smoke or burn in open flames



Item #	Description	Price/ea.
RZS685BK17	17", Black Oven Mitt	Call



STOPWATCH & TIMER

- Digital display of minutes and seconds
- Memory that resets automatically on timer
- 18" cord for wrist or neck
- Count-up facility for stopwatch and timer applications
- Measurement Range: Up to 99 minutes and 99 seconds

Item #	Description	Price/ea.
SWT2	Stopwatch/Timer	Call



EXTRA BIG DIGIT TIMER

- Counts up/down
- Last count recall
- Extra big digit
- Loud & long alarm

Item #	Description	Price/ea.
TM15	100 Minutes by Minutes/Seconds	Call



TAYLOR DIGITAL DISHWASHER THERMOMETER

- Accuracy: +/- 1.8°F and +/- 1°C
- FDA Food Code Compliant for Sanitization
- IP67 Waterproof and NIST-Traceable

Item #	Description	Price/ea.
8791	32°F to 194°F (0° to 90°C)	Call



TAYLOR® DIGITAL DUAL EVENT TIMER

- Times two events simultaneously with hour/minute timing
- Each separate timer has its own distinctive ring
- Clock and date feature
- Clip/magnet/stand positioning
- Operates on 1 "AAA" battery (included)

Item #	Description	Price/ea.
5828	1.5" LCD Readout	Call



TAYLOR® FOUR EVENT DIGITAL TIMER

- Times up to four events simultaneously
- Each timer counts up to 9 hours, 59 minutes and 59 seconds
- Loud 100 decibel alarms with a distinctive ring for each timer
- Visual alerts - individual lights flash when each timer reaches zero
- Water-resistant, anti-microbial housing
- Stand or wall mount
- Operates on 4 AA batteries (included)

Item #	Description	Price/ea.
5839N	0.9" LCD Readout	Call





New!

WATERPROOF DIGITAL THERMOMETER

- Accuracy of $\pm 2^{\circ}\text{F} / 1^{\circ}\text{C}$
- Ruggedized to withstand a 10 ft. drop with rubber boot
- Protective probe sheath with handy pocket clip
- Water resistant



Item #	Description	Price/ea.
400YB	-58°F to 400°F/-50°C to 200°C, Yellow	Call



WATERPROOF DIGITAL THERMOMETER

- Commercial dishwasher safe and waterproof
- 6 second response time
- High accuracy of $\pm 1^{\circ}\text{F}/0.5^{\circ}\text{C}$
- BioCote® antimicrobial protection



Item #	Description	Price/ea.
DT400Y	-4°F to +400°F/-20°C to +200°C, Yellow	Call

THIN TIP POCKET THERMOMETERS

- 1.5 mm thin tip
- 2.75"/7.0 cm stem
- 6 second response
- Field calibration

Item #	Description	Price/ea.
DTT450-B	-40° to 450°F/-40° to 230°C, Blue	Call
DTT450-G	-40° to 450°F/-40° to 230°C, Green	Call
DTT450-R	-40° to 450°F/-40° to 230°C, Red	Call
DTT450	-40° to 450°F/-40° to 230°C, Yellow	Call

FOODPRO PLUS INFRARED THERMOMETER W/PROBE

- Infrared sensor for quick non-contact surface readings
- Built-in fold-out probe for internal food temperature checking
- Backlit display indicates current and maximum temperature
- Countdown timer for monitoring cooking, cooling and HACCP exposure times
- Includes: 9V battery & soft carrying pouch
- Distance to spot size: 2.5:1



Item #	Description	Price/ea.
FPP-CMARK-US	-30°F to 525°F/-35°C to 275°C	Call

INFRARED GUN/THERMOCOUPLE THERMOMETER

- Infrared for non-contact surface temperatures
- Thermocouple probe (3.75" L) for internal temperatures
- 1 and 3 second responses
- 1.5 mm thin tip



Item #	Description	Price/ea.
INTP662	-76°F to 662°F/-60°C to 350°C	Call

TAYLOR FOLDING THERMOCOUPLE THERMOMETER

- 1.5mm step down probe diameter, FDA recommended
- Pivoting probe of 270°
- Large 180° rotating display with blue backlight
- Recalibratable with auto off and hold features
- Safe-T-Guard™ case incorporates an EPA registered product that inhibits growth of bacterial odor and mold on the product case
- Black nylon storage case
- Waterproof IP67 rated

New!



Item #	Description	Price/ea.
9868FDA	Temperature Range: -40°F /572°F	Call

TAYLOR THERMOMETER PROBE WIPES

- HACCP probe wipes for sterilizing thermometers between each use
- 70% isopropyl alcohol wipes
- 70 single use wipes per re-sealable tub or 100 single use wipes per box



Item #	Description	Sell Unit	Price
9999T	70 ct.	1/tub	Call
9999N	100 ct.	1/bx.	Call

HIGH-LOW COOKING & COOLING ALARM

- Ideal for economic HACCP compliance
- Switchable $^{\circ}\text{F}/^{\circ}\text{C}$
- Choice of cooking or cooling alarm can be set for temperature or time
- Adjustable back with magnet
- 36" stainless steel, heat resistant probe can be used even when oven or refrigerator door is closed (probe lead is not waterproof)
- Accuracy $\pm 3.5^{\circ}\text{F}$



Item #	Description	Price/ea.
HLA1	14° to 392°F/-10° to 200°C	Call



COFFEE THERMOMETER

- Tough, durable and accurate 1" dial thermometer with 5" stem
- Stainless steel construction
- Plastic, watertight lens and magnifying dial cover
- Ideal for checking milk temperatures in latte, espresso and hot chocolate
- Sturdy clip attaches securely to cups or pitchers
- Accurate within 2°



Item #	Description	Price/ea.
T200L	100°F to 200°F	Call

DIGITAL PORTION CONTROL SCALE



- Small profile: 5.35" x 5.35" platform
- Tare function
- Data hold • Field calibration
- Batteries & power adapter included

Item #	Description
SD1114	11 lb./5kg Capacity



SUBMERSIBLE SCALES

- Submersible (IP67)
- Programmable
- Tare function
- Field calibration



Item #	Description	Price/ea.
SD1110X		Call
SD1110X	11 lb./5 kg/176 oz. Capacity	Call
SD2210X	22 lb./10 kg/352 oz. Capacity	Call



TAYLOR DIGITAL RECEIVING SCALES

New!

- Easy-to-read LCD control panel with 6' cord and mounting bracket
- Large buttons provide easy access to functions
- Control panel can be wall-mounted to save counter space and provide eye-level readings
- Tare, hold and recalibration features
- Powered by a 120V adapter (included) or 6 AA batteries (not included)

Item #	Description	Price/ea.
TE150	150 lb. x 0.2 lb., 12" x 11 ³ / ₄ ", Removable S/S platform	Call
TE220FT	220 lb. x 2 oz., S/S Platform: 10.94" x 11.45", AC Adapter Incl.	Call
TE400	400 lb. x 0.5 lb.	Call

TAYLOR DIGITAL PIZZA SCALE

- External tare switch with push-button design
- Tare and hold functions for consistent weighing
- Low battery indicator and auto-off feature
- Includes built-in handle, AC adapter and rechargeable battery

Item #	Description	Price/ea.
TE10PZR	13 ¹ / ₂ " x 11 ⁵ / ₈ " Stainless Steel Platform	Call

New!



Perfect for re-thermalizing refrigerated soups, stews & chilis



RCW-7

CLASSIC INSULATED COUNTERTOP ROUND COOKERS/SERVERS



- High performance, fast recovery design perfect for food products served out of a round inset
- Thermostatically controlled heat system provides fast heat up and recovery, and can reach intense temperatures that produce consistent steam heat (212°F)
- Designed with high wattage systems that generate faster start-ups to required temperatures
- Distributes heat throughout unit while protecting interior parts & countertops from heat build-up
- Ideal for thawing frozen soups and holding the thawed soup at NSF-safe serving temperatures
- Stainless steel housing with stainless steel liner for wet or dry operation
- SP designates soup package that includes inset, hinged cover and ladle

Item #	Description	Price/ea.
RCW-7SP	7 qt., 120V, 1000W, 10" H x 10 ¹ / ₂ " D	Call
RCW-7	7 qt., 120V, 1000W, 10" H x 10 ¹ / ₂ " D	Call



XPERT SERIES CLASSIC COUNTERTOP WARMER

- Energy Efficient Design keeps hot food at the perfect serving temperature
- Made of heavy-duty stainless steel
- Designed to run either with water (best option) or dry (will not harm warmer)
- Unique heat system evenly distributes heat
- Insulated to protect interior parts and countertops from heat build-up
- Steel element support stabilizes heating element and reflects heat toward food
- Infinite temperature control

Item #	Description	Price/ea.
W-3Vi	22 qt., 9 ³ / ₄ " H x 14 ¹ / ₁₆ " W x 22 ² / ₃₂ " D	Call




DOUBLE PANINI PRESS

- Features a large cooking surface with non-stick, ceramic coated, cast iron plates
- Comes with a self-balancing upper plate
- Standard accessories include timer, temperature controls and scraping brush
- Heats up to 572°F



Seasonal

Item #	Description	Price/ea.
PPress2R/F	Ribbed or Flat, 19 ¹ / ₅ " x 10" Cooking Surface	Call



HOT/COLD BUILT-IN FLUSH SHELVES



- Provides the ultimate flexibility and versatility, easily changing between a heated shelf and cold shelf to cater to different food products and day parts
- Transfer time between modes is approximately 30 minutes
- Patented thermal break reduces condensation and temperature transfer
- Includes a remote-mountable control enclosure, with a 3-position power switch and two digital temp. controllers
- Has a hardcoat aluminum surface and is designed to be top mounted
- R-513A refrigerant available for California only; please contact Hatco for more information

Item #	Description	Price/ea.
HCSBF-24-F	25 1/2"W x 17"D x 10"H, 1/4 hp, 120V, 804W (Cold)/355W (Hot), 6.7A	Call
HCSBF-24-I	25 1/2"W x 21"D x 10"H, 1/4 hp, 120V, 804W (Cold)/445W (Hot), 6.7A	Call
HCSBF-24-S	25 1/2"W x 25 1/2"D x 10"H, 1/4 hp, 120V, 804W (Cold)/550W (Hot), 6.7A	Call
HCSBF-36-F	37 1/2"W x 17"D x 10"H, 1/4 hp, 120V, 804W (Cold)/530W (Hot), 6.7A	Call
HCSBF-36-I	37 1/2"W x 21"D x 10"H, 1/3 hp, 120V, 468W (Cold)/670W (Hot), 6.5A	Call
HCSBF-36-S	37 1/2"W x 25 1/2"D x 10"H, 1/3 hp, 120V, 468W (Cold)/825W (Hot), 6.9A	Call
HCSBF-48-F	49 1/2"W x 17"D x 10"H, 1/3 hp, 120V, 468W (Cold)/710W (Hot), 6.5A	Call
HCSBF-48-I	49 1/2"W x 21"D x 10"H, 1/3 hp, 120V, 468W (Cold)/890W (Hot), 7.4A	Call
HCSBF-48-S	49 1/2"W x 25 1/2"D x 10"H, 1/2 hp, 120V, 1380W (Cold)/1100W (Hot), 11.5A	Call

DROP-IN HOT/COLD WELLS



- Insulated, top mount only, with drain and auto-fill
- Incorporates a refrigerated well and heated well into one cold/hot well unit to hold pre-chilled and hot foods at their optimum serving temperatures
- Includes auto-defrost, easy serviceability, optimal insulation and an efficient condenser for the refrigerated well
- Utilizes the hydro-heater food rethermalizer/bain-marie heater with "free-flow" technology for an efficient and safe operation with a longer life for the heated well
- Features simple controls for ease of use and adjustable setpoints to keep particular foods at their preferred temperatures

Item #	Description	Price/ea.
HCWBI-2DA	2-Pan, 208 or 240V, 1 Phase	Call
HCWBI-3DA	3-Pan, 208 or 240V, 1 Phase	Call
HCWBI-4DA	4-Pan, 208 or 240V, 1 Phase	Call
HCWBI-5DA	5-Pan, 208 or 240V, 1 Phase	Call
HCWBI-6DA	6-Pan, 208 or 240V, 1 Phase	Call



HWB-4QT, 7QT & 11QT

ROUND WELLS

- Drop-in round hot food wells hold a variety of hot and fresh foods at safe serving temperatures
- Self-adjusting thermostats that read the actual temperature of the well and add heat only when needed
- Includes a separate lighted On/Off rocker switch & temperature dial, allowing preset temps to be maintained

Item #	Description	Price/ea.
HWB-11QT	11 qt.	Call
HWB-4QT	4 qt.	Call
HWB-7QT	7 qt.	Call

PLANETARY COUNTERTOP MIXERS

- Gear driven, high torque transmission
- Thermal overload protection
- Stainless steel bowl guard with built-in ingredient chute, polycarbonate splash cover (SP05 & SP08 only)
- Includes stainless steel bowl, flat beater, whip and dough hook
- Rigid cast iron body (SP05 & SP08 cast aluminum)
- Front-mounted touch pad controls with 60-minute digital timer and last-batch recall (SP20); 15-minute digital timer (SP08)
- #12 attachment hub (SP20); #10 attachment hub (SP05)
- Two year parts and labor warranty



SP20

SP05

Item #	Description	Price/ea.
SP05	5 qt., 800W, 10 Speeds	Call
SP08	8 qt., 1/4 hp, 115/60/1, 5A (No Hub)	Call
SP20	20 qt., 1/2 hp, 115/60/1, 6A	Call



PLANETARY FLOOR MIXER

- Front-mounted digital controls with 60 minute timer and last batch recall
- Thermal overload protection
- Removable stainless steel bowl guard with built in ingredient chute
- Safety interlocked bowl guard and bowl lift
- Non-slip rubber feet
- Two-years parts and labor warranty
- W/30-qt s/s bowl, flat beater, wire whip, spiral dough hook



Item #	Description	Price/ea.
SP30	30 qt., 1 hp, 110/60/1, 16A	Call

S-SERIES PREMIUM HEAVY-DUTY MANUAL SLICER



- Carriage easily tilts back for convenient cleaning
- Slide rod, knife cover and meat grip are quickly removable
- Kickstand enables easy countertop cleanup
- Patent pending indexing system and oversized knob provide precise control for the thinnest slices
- Specially designed carriage and end weight provide better product retention
- Knife and sharpening system maintains thinnest edge for a superior slice
- Extended carriage and large platter accommodate large products such as prosciutto, bacon and mortadella
- Color cues the operator to areas designed for proper and safe operation; handles, knobs, etc.

(EIT)

(EIT)

Item #	Description	Price/ea.
S13	13" Blade, 1/2 hp	Call

GLOBE® G SERIES MEDIUM-DUTY SLICERS



G12

(EIT)

(EIT)

- Features a hard chromed, special alloy hollow ground knife that lasts longer and sharpens easier
- Anodized aluminum construction
- Includes a No Voltage Release Relay system
- Removable, easy-to-clean chute, slice deflector, knife cover and sharpener
- Slices food to 9/16" thick
- Anniversary Celebration warranty through 12/31/19

Item #	Description	Price/ea.
G12A	Automatic, 12" Blade, 1/2 hp, 115/60/1, 3A	Call
G10	Manual, 10" Blade, 1/3 hp, 115/60/1, 3A	Call
G12	Manual, 12" Blade, 1/2 hp, 115/60/1, 3A	Call
G14	Manual, 14" Blade, 1/2 hp, 115/60/1, 4A	Call



FREE STANDING GAS FRYERS

- Long-lasting, easy-to-clean stainless steel fry tank and cabinet
- Trouble-free adjustable casters - 2 swivel with locks and 2 rigid
- Tank brush, clean-out rod and drain extension
- Designed to be versatile and used in nearly any location - no electrical hook-up required for fryers without filtration



1GR45M

Price/ea.

Item #	Description	Price/ea.
1GR35M	35-40 lb., 15 1/2" W x 29 3/4" D x 47 5/8" H 14" x 14" Tank, 90,000 BTU input, 3 Tube	Call
1GR45M	45-50 lb., 15 1/2" W x 29 3/4" D x 47 5/8" H 14" x 14" Tank, 120,000 BTU input, 4 Tube	Call
1GR65M	65-70 lb., 21" W x 29 3/4" D x 47 5/8" H 19 1/2" x 14" Tank, 150,000 BTU input, 5 Tube	Call
1GR85M	85-90 lb., 21" W x 34 3/4" D x 47 5/8" H 19 1/2" x 18 1/4" Tank, 150,000 BTU input, 5 Tube	Call
2GR45MF	(2) 45 lb. Tanks, 31" x 30 1/8" x 36 1/4", Millivolt Controls All Models: 36 1/4" Working Height	Call



DURO™ MANUAL SLICER



- Heavy-duty, belt driven, manual, gravity feed slicer
- German, hollow ground hardened steel, high carbon chrome plated blade
- Heavy-duty meat holder
- Built-in sharpener
- Polished anodized aluminum finish



Item #	Description	Price/ea.
7512	12" Blade, 1/2 hp, 115/60/1	Call

LIGHT-DUTY SLICER

- Features solid anodized aluminum construction with precision German hollow ground slicing blade
- Maximum slice thickness is 1/2"
- Top mounted easy to use sharpener
- Carriage detaches for easy washing/sanitization
- Belt driven



Item #	Description	Price/ea.
4612	12" Blade, 1/4 hp	Call

MEDIUM-DUTY SLICER




- Precision German hollow ground slicing blade
- Solid anodized aluminum construction
- Belt driven
- Max slice thickness: 1/2"
- Top mounted easy to use sharpener
- Carriage detaches for easy washing/sanitization
- Powerful 1/2 hp motor



Item #	Description	Price/ea.
6612M	12" Blade, 21" W x 26" D x 17 3/4" H	Call

PREMIUM SUPERMARKET SLICERS

- 13" blade
- Precision German hollow ground slicing blade
- Solid one-piece anodized aluminum construction
- Max slice thickness: 7/8"
- Powerful 1/2 hp motor



8713M

1000S

Item #	Description	Price/ea.
1000S	Automatic, Belt Driven	Call
8713M	Manual, Gear Driven	Call



BLACK DIAMOND GAS FRYERS

- Welded 16 gauge stainless steel tank
- Long lasting baffles are mounted in the heat exchange tubes for maximum heating and combustion efficiency
- Standing pilot light provides a ready flame
- Cabinet is constructed with a stainless steel front and door with galvanized sides and back
- Thermostat maintains temp. between 200° and 400°F
- Integrated gas control valve acts as a manual and pilot valve, automatic pilot valve, gas filter, pressure regulator and automatic main valve
- Available in Liquid Propane (LPG) or Natural Gas (NG)



Item #	Description	Price/ea.
BDGF-90	35-40 lb., LPG or NG	Call
BDGF-120	45-50 lb., LPG or NG	Call
BDGF-150	65-70 lb., LPG or NG	Call



C24E03

C24E05



BOILERLESS/ CONNECTIONLESS STEAMERS

- Stainless steel exterior and cooking compartments
- Generator pan is stainless steel with stamped water level line
- Units do not require water or drain connection
- 3 position control switch (timed cooking/off/constant cooking)
- 60-minute timer
- Heavy-duty doors and door latch mechanisms
- Listed pan capacities are for 12" x 20" x 2 1/2" pan

Item #	Description	Price/ea.
C24E03	3 Pans, 24"W x 33"D x 19 1/2"H, 8 kW, 208/240/60/1 or 3 Phase	Call
C24E05	5 Pans, 24"W x 33"D x 26"H, 12 kW, 208/240/60/1 or 3 Phase	Call



SINGLE DECK ELECTRIC CONVECTION OVENS

- Solid state temperature controls adjust from 150° to 500°F
- 60 minute timer with audible alarm
- Stainless steel front, sides and top
- Stainless steel doors with double pane windows
- 1/2 HP 2-speed oven blower motor; 115/60/1 with 6' cord and plug
- Oven cool switch for rapid cool down
- Porcelain enamel on steel oven interior
- 5 nickel-plated oven racks with 11 rack positions
- Interior oven light
- One-piece cool-to-the-touch door handles
- 50,000 BTU/hr burner per oven section
- Electronic spark ignition
- 3/4" rear gas connection
- Internal combination gas pressure regulator and safety solenoid system



VC4ED

Item #	Description	Price/ea.
VC4ED	Solid State Controls, 40"W x 41 1/2"D x 56 3/4"H	Call
VC5ED	12kW, 208/240V, 60Hz, 1 or 3 Phase, 40"W x 40 1/8"D	Call
VC4GD	Solid State Controls, 40"W x 41 1/2"D x 56 3/4"H on 24 3/4" Legs	Call
VC5GD	50,000 BTU/hr. Burner, 40"W x 39 1/4"D	Call



CHAMPION COUNTERTOP GAS RADIANT CHAR-BROILERS



GCB-36i

- Features 3/4" cast iron "steak char" grate
- Special high temperature stainless steel radiants
- Field convertible and adjustable gas regulator
- 3" stainless steel backsplash; sloped side splashers
- Gas connections use 3/4" NPT pipe
- Viewable standing pilot can be lit without removing front panel - Safety pilot available
- 4" x 1" grease chute drains into stainless steel grease collector drawer
- Heavy-duty 4" heat-resistant, adjustable legs

Item #	Description	Price/ea.
GCB-36i	3 "U" Burners, 36" W, 120,000 BTU	Call
GCB-48i	4 "U" Burners, 48" W, 160,000 BTU	Call



LOW PROFILE CHAR-BROILERS



XX-10

- Stainless steel exterior
- Front grease trough, slide out stainless steel water pan/grease drawer and 4" chrome plated adjustable legs are standard
- Independently controlled, clog-proof, high efficiency burners located every 4 7/8"
- Stainless steel radiant heat deflectors are placed directly above each burner
- Standard top grates are cast iron and can be adjusted to three separate tilting positions

Item #	Description	Price/ea.
XX-4	4 Grates, 4 Burners, 26 1/4"W x 30"D x 13 3/4"H, 72,000 BTU	Call
XX-6	6 Grates, 6 Burners, 36 3/4"W x 30"D x 13 3/4"H, 108,000 BTU	Call
XX-8	8 Grates, 8 Burners, 47 3/4"W x 30"D x 13 3/4"H, 144,000 BTU	Call
XX-10	10 Grates, 10 Burners, 58 1/4"W x 30"D x 13 3/4"H, 180,000 BTU	Call



CYCLONE SERIES FULL SIZE CONVECTION OVENS

- Two-speed, high-low fan with unique 900 rpm low speed setting and four second cycle hot surface ignition system
- Stainless steel front, top, sides and doors
- Synchronized doors are fully-insulated
- Lighted, porcelain enamel interiors have 11-position, removable rack guides and 5 racks
- Black powder-coated legs included on single oven units
- Stackable



BCO-G1



Item #	Description	Price/ea.
--------	-------------	-----------

ELECTRIC

BCO-E1	Single Oven, 38 1/8" x 38" x 58", 208 or 220/240V, 10.5 kW	Call
BCO-E2	Double Oven, 38 1/8" x 38" x 63", 208 or 220/240V, 10.5 kW	Call
GDCO-E1	Single Oven, 38 1/8" x 38" x 58" Thermostat 150° to 550°F, 208/220/240V, 10.5 kW	Call
GDCO-E2	Double Oven, 38 1/8" x 38" x 63" Thermostat 150° to 550°F, 208/220/240V, 21 kW	Call

GAS

BCO-G1	Single Oven, 38 1/8" x 38" x 58", 60,000 BTU	Call
BCO-G2	Double Oven, 38 1/8" x 38" x 63", 120,000 BTU	Call
GDCO-G1	Single Oven, 38 1/8" x 38" x 58" Thermostat 150° to 550°F, 60,000 BTU	Call
GDCO-G2	Double Oven, 38 1/8" x 38" x 63" Thermostat 150° to 550°F, 120,000 BTU	Call



36S-6BN

ENDURANCE™ GAS RANGE

- Fully MIG welded frame
- Stainless steel front, sides, backriser, lift-off high shelf
- 30,000 BTU/hr open top burners with lift-off heads
- Shrouded flashtube pilot system, one pilot per every two open burners
- Heavy-duty cast grates, easy lift-off
- Extra deep grates in back
- Extra deep stainless steel pull-out crumb tray with welded corners
- 35,000 BTU/hr bakers depth standard oven
- Oven thermostat adjusts from 250°F-500°F
- Oven controls mounted in insulated side compartment
- Two racks and four rack positions
- One-year limited parts and labor warranty

Item #	Description	Price/ea.
36S-6BN	34 ³ / ₄ "D x 36"W x 58"H, 6 Burners, 1 Standard Oven, Natural Gas, 215,000 BTU/hr	Call
60SS-10BN	60"W, 10 Burners, 2 Standard Ovens, Natural Gas	Call
60SS-6B24GN	60"W, 6 Burners, 24" Broiler Griddle, 2 Standard Ovens, Natural Gas	Call



IR-6-E

IR-6-C

36" ELECTRIC RESTAURANT RANGE

- Sealed elements 2 KW round plates with easy-to-clean top surface
- Temperature range from 150°F to 500°F (65°C to 260°C)
- Porcelainized interior provides better browning
- Stainless steel exterior, except back, welded, polished stainless steel seams
- 6" (152 mm) heavy duty legs with adjustable feet
- One year parts and labor warranty

Item #	Description	Price/ea.
IR-6-E	36"W x 34 ³ / ₄ "D x 36"H, 6 Plates, 208V/60/1, 84A	Call

36" GAS CONVECTION OVEN RANGE

- Stainless steel front, sides, backguard, shelf, landing ledge and kick plate
- Welded and polished stainless steel seams
- Large 5" (127 mm) stainless steel landing ledge
- Control knobs are durable cast aluminum with a heat protection grip
- Full width, removable crumb tray for easy cleaning
- 6" (152 mm) heavy duty legs with adjustable feet
- One year parts and labor warranty

Item #	Description	Price/ea.
IR-6-C	36"W x 31 ¹ / ₂ "D x 56 ¹ / ₂ "H, 6 Burners, 222,000 BTU	Call



CWB-S4

REFRIGERATED DROP-IN WELLS

- A full-size well that blankets pre-chilled food products to retain optimum freshness and taste, but in a lengthwise, narrow grouping to allow for easy, reachable access
- Features auto-defrost, activated through a programmable advanced electronic controller
- Optimal and environmentally-friendly insulation on the sides and bottom provide even chilling from top to bottom for better cold retention and cost savings
- Includes an adjustable condensing unit that can be rotated 180° for easy venting adjustments and flexibility
- R-513A refrigerant available for California only. Please contact Hatco for more information



Item #	Description	Price/ea.
CWB-1	19"W x 27"D x 25 ¹ / ₂ "H, 1/4 hp, 120V, 804W, 6.7A	Call
CWB-2	32"W x 27"D x 25 ¹ / ₂ "H, 1/4 hp, 120V, 804W, 6.7A	Call
CWB-3	45"W x 27"D x 25 ¹ / ₂ "H, 1/4 hp, 120V, 804W, 6.7A	Call
CWB-4	58"W x 27"D x 25 ¹ / ₂ "H, 1/3 hp, 120V, 468W, 6.5A	Call
CWB-5	71"W x 27"D x 25 ¹ / ₂ "H, 1/2 hp, 120V, 1380W, 11.5A	Call
CWB-6	84"W x 27"D x 25 ¹ / ₂ "H, 1/2 hp, 120V, 1380W, 11.5A	Call
<i>SLIM</i>		
CWB-S1	27"W x 18 ¹⁰ / ₁₁ "D x 32 ⁵ / ₈ "H, 1/4 hp, 120V, 804W, 6.7A	Call
CWB-S2	48 ¹ / ₈ "W x 18 ¹⁰ / ₁₁ "D x 25"H, 1/4 hp, 120V, 804W, 6.7A	Call
CWB-S3	69 ³ / ₁₆ "W x 18 ¹⁰ / ₁₁ "D x 25"H, 1/3 hp, 120V, 468W, 6.5A	Call
CWB-S4	90 ¹ / ₄ "W x 18 ¹⁰ / ₁₁ "D x 25"H, 1/2 hp, 120V, 1380W, 11.5A	Call



FOOD PREPARATION TABLES

- Full electronic control
- Reversible 1/2" thick, 10" deep cutting boards of white polyethylene plastic
- Heavy-duty aluminum pans
- Field reversible doors with snap-in door gaskets; easy door removal
- Self-closing door with 120° stay-open feature
- Epoxy-coated steel wire shelves standard
- Accommodates up to 6" deep food service pans
- 4" deep 1/6 size polycarbonate pans included (excludes -A models)
- Heavy duty insulated covers protects products and eliminates sweating when closed
- 6" casters, 2 with brakes standard
- Enhanced airflow maintains temperature between 36° - 38°F
- Featuring environmentally friendly energy efficient R290 refrigerant



SPE27HC

Item #	Description	Price/ea.
SPE27HC	1 Door, 2 Shelves, 6.76 cu. ft., 27"W x 31"D x 45 ³ / ₈ "H	Call
SPE32HC-08	1 Door, 2 Shelves, 8.01 cu. ft., 32"W x 32"D x 39 ¹ / ₄ "H	Call
SPE36HC-08	2 Doors, 4 Shelves, 10.01 cu. ft., 36"W x 32"D x 39"H	Call
SPE36HC-10	2 Doors, 4 Shelves, (10) 1/6 Pans, 10.1 cu. ft., 36"W, 1/6 hp, 115/60/1	Call
SPE48HC-08	2 Doors, 4 Shelves, 13.01 cu. ft., 48"W x 32"D x 39 ¹ / ₄ "H	Call
SPE60HC-08	2 Doors, 4 Shelves, 16.02 cu. ft., 60"W x 32"D x 39"H	Call
SPE72HC-08	3 Doors, 6 Shelves, 20.02 cu. ft., 72"W x 32"D x 39"H	Call



APP94R

New!



PIZZA TABLES

- 1/3 size plastic pans included
- Full length, heavy-duty cutting board is included
- Self-closing doors that remain open at 90°
- Solid door construction with foamed-in-place recessed handle
- Exterior cabinet construction consists of full stainless steel front and sides
- Interior cabinet is bright white ABS liner with full stainless steel floor with coved corners
- Magnetic door gaskets are removable and replaceable without tools
- Electronic thermostat with external digital LED display for accurate control
- Easy to mount casters (2 locking) are standard with all units (€)
- Full two year parts and labor warranties and a five year compressor warranty

Item #	Description	Price/ea.
APP48R	1 Door, 1 Shelf, 12 cu. ft., (6) 1/3 Pans, 47 1/2"W x 32 1/4"D x 41"H, 1/2 hp, 5A	Call
APP71R	2 Doors, 2 Shelves, 21 cu. ft., (9) 1/3 Pans, 71"W x 32 1/4"D x 41"H, 1/2 hp, 5A	Call
APP94R	3 Doors, 3 Shelves, 29 cu. ft., (12) 1/3 Pans, 94 1/8" x 32 1/4"D x 41"H, 3/4 hp, 5.5A	Call



ACP55



REFRIGERATED COUNTERTOP PREP UNITS

- Includes stainless cover for refrigerated area
- Interior cabinet consists of full stainless steel liner
- Exterior cabinet consists of full stainless steel shell
- Plastic non-scratch feet included
- Self-contained capillary tube system
- Environmentally friendly HC refrigerant (R290)
- Includes 1/6 size stainless pans and covers
- Stainless pan supports included
- Electronic thermostat with external digital LED display
- Tested to NSF Standard 7 requirements for open food storage (€)
- Full one year parts and labor

Item #	Description	Price/ea.
ACP40	6 Pans, 39 1/2"W x 15 1/2"D x 11"H	Call
ACP48	8 Pans, 47 1/4"W x 15 1/2"D x 11"H	Call
ACP55	10 Pans, 55"W x 15 1/2"D x 11"H	Call
ACP63	14 Pans, 63"W x 15 1/2"D x 11"H	Call



AR23

REACH-IN REFRIGERATORS/FREEZERS

- Refrigerator temperature range: 33°F to 41°F
- Freezer temperature range: -10°F to 10°F
- Beautifully designed in smooth stainless steel
- Features include high output fan motors, electronic thermostat with external digital display, bottom mounted compressor, and front accessible, bottom mounted condensing unit mounted on slide out rack for easy maintenance cleaning
- Epoxy coated, adjustable shelves and locking casters come standard with all models
- Doors are self-closing and lockable with foamed in place recessed handle (€)
- Magnetic door gaskets are removable and replaceable without tools



Item #	Description	Price/ea.
AR23	1 Door, 3 Shelves, 23 cu. ft., 26 3/4"W x 32 3/4"D x 82 3/4"H, 3/8 hp	Call
AR49	2 Doors, 6 Shelves, 49 cu. ft., 54"W x 32 3/4"D x 82 3/4"H, 1/2 hp	Call
AF23	1 Door, 3 Shelves, 23 cu. ft., 26 3/4"W x 32 3/4"D x 82 3/4"H, 5/8 hp	Call
AF49	2 Door, 6 Shelves, 49 cu. ft., 54"W x 32 3/4"D x 82 3/4"H, 1 hp	Call



DD-46



DC-8D



DELUXE ICE CREAM DIPPING/DISPLAY MERCHANDISERS

- Independent compressor and light switch
- Tempered plate glass viewing window
- Convenient floor drain
- Standard top and side lid wiper gaskets for sanitary purposes

Item #	Description	Price/ea.
DD-26	4/0 Can Display/Storage	Call
DD-46	8/4 Can Display/Storage	Call
DD-66	12/8 Can Display/Storage	Call
DD-88	16/12 Can Display/Storage	Call
DD-26L	4/0 Can Display/Storage, Low Glass Model	Call
DD-46L	8/4 Can Display/Storage, Low Glass Model	Call
DD-66L	12/8 Can Display/Storage, Low Glass Model	Call
DD-88L	16/12 Can Display/Storage, Low Glass Model	Call

ICE CREAM STORAGE/DIPPING CABINETS

- Seamless stainless steel top to resist corrosion
- Convenient floor drain
- Attractive 24 gauge white painted steel cabinet
- Anti-condensate heaters under stainless top cap
- Thick 2 1/4" foamed-in-place urethane insulation allows cabinets to keep a consistent low temperature (€)

Item #	Description	Price/ea.
DC-2S	2/1 Display/Storage*, 31 7/8"L x 21 1/8"D x 34 1/8"H, 1/4 hp, 115/60/1	Call
DC-4D	5/2 Display/Storage*, 30 5/8"L x 30 1/8"D x 34 1/8"H, 1/4 hp, 115/60/1	Call
DC-4S	6/4 Display/Storage*, 54"L x 21 1/8"D x 34 1/8"H, 1/4 hp, 115/60/1	Call
DC-6D	8/5 Display/Storage*, 43"L x 30 1/8"D x 34 1/8"H, 1/4 hp, 115/60/1	Call
DC-8D	11/8 Display/Storage*, 54"L x 30 1/8"D x 34 1/8"H, 1/3 hp, 115/60/1	Call
DC-10D	14/11 Display/Storage*, 66 5/8"L x 30 1/8"D x 34 1/8"H, 1/3 hp, 115/60/1	Call
DC-12D	18/15 Display/Storage*, 84 5/8"L x 30 1/8"D x 34 1/8"H, 1/3 hp, 115/60/1	Call

*Capacity in 3 gal. cans



New!

CROSS-TEMP™ CONVERTIBLE REFRIGERATORS/FREEZERS

- Solid or glass door variable speed freezer/refrigerator
- Top-mounted self-contained refrigeration
- Exterior is stainless steel front and sides with continuous coil coated sides
- Interior liner made of corrosion resistant aluminum
- Door locks standard
- Configurable to all menu initiatives, range of -15° to 40°F
- Modulates coil temp to achieve desired set point
- Intuitive compressor
- Variable speed compressor technology achieve 30% more energy efficiency
- 6" casters
- Uses R290 refrigerant
- Automatic, electric defrost
- Epoxy coated evaporator coil



Item #	Description	Price/ea.
CT12-12HC-1HS	2 Solid Doors, 4 Shelves, (2) 9 cu. ft.	Call
CT1HC-1G	1 Glass Door, 3 Shelves, 23.1 cu. ft.	Call
CT1HC-1HG	2 Glass Doors, 3 Shelves, 23.1 cu. ft.	Call
CT1HC-1HS	2 Solid Doors, 3 Shelves, 23.1 cu. ft.	Call
CT1HC-1S	1 Solid Door, 3 Shelves, 23.1 cu. ft.	Call

LUNAR ICE™ ICE MACHINES/MAKERS/BINS



- 404a Refrigerant and an air cooled condensor
- Anti-corrosive nickel-plated evaporator
- Removable, easy-to-clean air filter
- Eco-friendly materials (ABS & PE)
- Adjustable ice thickness
- Auto-alert indicators

New!

Item #	Description	Price/ea.
LIIM-350	350 lbs./24 hr. Output, 230 lbs. Cap., 1000W, 22"W x 32 1/2"D x 65"H, 110V/60Hz	Call
LIIM-500	500 lbs./24 hr. Output, 275 lbs. Cap., 1240W, 30"W x 32 1/2"D x 66"H, 110V/60Hz	Call
LIIM-220/UC	220 lbs./24 hr. Output, 55 lbs. Cap., 830W, 25 1/5"W x 25 1/2"D x 31"H, 110V/60Hz	Call
LIIM-350/M	Maker for LIIM-350: 26 1/5"W x 29 1/2"D x 24 1/2"H	Call
LIIM-500/M	Maker for LIIM-500: 33 1/2"W x 35"D x 41 1/2"H	Call
LIIM-350/B	Bin for LIIM-350: 25 1/2"W x 35"D x 41 1/2"H	Call
LIIM-500/B	Bin for LIIM-500: 33 1/4"W x 29 1/2"D x 24 1/2"H	Call

LUNAR ICE™ ICE CREAM MACHINES



- R404a refrigerant and air cooled
- Microprocessor regulates refrigeration by measuring product viscosity to maintain consistent quality
- Hopper agitator maintains mix consistency:

Item #	Description	Price/ea.
LIIC-1H	Countertop, 1 Flavor, 19 qt./hr., 220/60/1, 8A	Call
LIIC-2H/CT	Countertop, 2 Flavors, 50.7 qt./hr., 220/60/1, 20A	Call
LIIC-2H	Floor, 2 Flavors, 50.7 qt./hr., 220/60/1, 20A	Call

CHEKPOINT ELECTRONIC FAUCETS

- Wall mount • VR aerator control module
- AC/DC • 4 1/8" rigid gooseneck nozzle
- 1/2" NPSM/ 3/8" compression supply hoses



Item #	Description	Price/ea.
EC-3101	Single-Hole Wall Mount	Call
EC-3105-HG	4" Wall Mount, Hydro-Generator Power Supply Option	Call

MIXING FAUCETS

- 1/2" NPT female inlets



Item #	Description	Price/ea.
B-0221	8" Deck Mount, 12" Swing Nozzle	Call
B-0300	Single-Hole Deck Mount, 5 3/4" Gooseneck Nozzle	Call
B-0230-LN	8" Wall Mount, Less Nozzle	Call
B-0231	8" Wall Mount, 12" Swing Nozzle	Call

HOSE REELS

- 3/8" NPT inlet • Ratcheting system
- Adjustable hose bumper
- Multi-fit bracket (wall, ceiling, under counter)



Item #	Description	Price/ea.
B-7232-01	3/8" ID x 35' Hose, Open, Epoxy Coated, Spray Valve	Call
B-7232-05	3/8" ID x 35' Hose, Open, Epoxy Coated, Front Trigger Water Gun	Call
B-7122-C01	3/8" ID x 30' Hose, Enclosed, SS, Spray Valve	Call
B-7222-C01	3/8" ID x 30' Hose, Encl., Epoxy Coated, Spray Valve	Call

EASYINSTALL PRE-RINSE UNITS

- 1/2" NPT female inlets (wall mount)
- 1/2" NPSM/ 5/8" flex lines (deck mount)
- 1.15 GPM spray valve
- 2019 DOE PRSV - Class II compliant

B-0133-B



Item #	Description	Price/ea.
B-0113	Single-Hole Deck Mount	Call
B-0133-B	8" Wall Mount, Wall Bracket	Call
B-0133-ADF12-B	8" Wall Mount, 12" Swing Nozzle, Wall Bracket	Call
B-0133-ADF14-B	8" Wall Mount, 14" Swing Nozzle, Wall Bracket	Call
B-0133-12-CR-B	8" Wall Mount, 12" Swing Nozzle, CR, Wall Bracket	Call

DURAPULL™ PULL-DOWN PRE-RINSE UNITS



- Pull down activation/automatic shut off
- 1.07 GPM sprayer/360 degree spray swivel
- 12" add-on faucet
- 2019 DOE PRSV - Class II compliant • 7 Year limited warranty

B-0133-12-CRB8P	8" Wall Mount Pull-Down Pre-Rinse Unit	Call
B-0113-12-CRB8P	Pull-Down Pre-Rinse Unit w/12" Add-on Faucet	Call

EQUIP BY T&S™

- Electronic and manual mixing options

Item #	Description	Price/ea.
5EF-1D-WG	Electronic, Single-Hole Wall, 6 5/8" Spread Gooseneck	Call
5F-8DLS10	Manual, 8" Deck Mount, 10" Swing Nozzle, CR	Call
5F-8WLX12	Manual, 8" Wall Mount, 12" Swing Nozzle, CR	Call

5EF-1D-WG





STAINLESS STEEL TOP WORK TABLES W/ADJUSTABLE SHELF

- 16 GA stainless steel top with adjustable undershelf
- Type 300 stainless steel with #4 polish, satin finish
- Top is sound deadened
- 1 1/2" stallion edge on front and rear with side edges bent down 90°
- Adjustable bullet feet
- Shipped knocked-down, easy to assemble

Item #	Descr.	Price/ea.	Item #	Descr.	Price/ea.
ST6-2430SSK	24" x 30"	Call	ST6-3060SSK	30" x 60"	Call
ST6-2436SSK	24" x 36"	Call	ST6-3072SSK	30" x 72"	Call
ST6-2448SSK	24" x 48"	Call	ST6-3084SSK	30" x 84"	Call
ST6-2460SSK	24" x 60"	Call	ST6-3096SSK	30" x 96"	Call
ST6-2472SSK	24" x 72"	Call	ST6-30108SSK	30" x 108"	Call
ST6-2484SSK	24" x 84"	Call	ST6-30120SSK	30" x 120"	Call
ST6-2496SSK	24" x 96"	Call	ST6-3648SSK	36" x 48"	Call
ST6-24108SSK	24" x 108"	Call	ST6-3660SSK	36" x 60"	Call
ST6-24120SSK	24" x 120"	Call	ST6-3672SSK	36" x 72"	Call
ST6-3030SSK	30" x 30"	Call	ST6-3684SSK	36" x 84"	Call
ST6-3036SSK	30" x 36"	Call	ST6-3696SSK	36" x 96"	Call
ST6-3048SSK	30" x 48"	Call			



ST6-2430SSK



STAINLESS STEEL TOP WORK TABLES W/ RISER

- 18 GA stainless steel top with 5" riser
- Type 300 s/steel with #3 polish, satin finish
- Top is sound deadened
- Stainless steel base with adjustable undershelf
- Adjustable bullet feet
- Shipped knocked-down, easy to assemble

Item #	Description	Price/ea.
ST6R5-2430SSK	24" x 30"	Call
ST6R5-2436SSK	24" x 36"	Call
ST6R5-2448SSK	24" x 48"	Call
ST6R5-2460SSK	24" x 60"	Call
ST6R5-2472SSK	24" x 72"	Call
ST6R5-2484SSK	24" x 84"	Call
ST6R5-2496SSK	24" x 96"	Call
ST6R5-24108SSK	24" x 108"	Call
ST6R5-24120SSK	24" x 120"	Call
ST6R5-3024SSK	30" x 24"	Call
ST6R5-3030SSK	30" x 30"	Call
ST6R5-3036SSK	30" x 36"	Call
ST6R5-3048SSK	30" x 48"	Call
ST6R5-3060SSK	30" x 60"	Call
ST6R5-3072SSK	30" x 72"	Call
ST6R5-3084SSK	30" x 84"	Call
ST6R5-3096SSK	30" x 96"	Call
ST6R5-30108SSK	30" x 108"	Call
ST6R5-30120SSK	30" x 120"	Call



ST6R5-2430SSK



BLUE HOSE® GAS CONNECTOR KITS W/SWIVEL MAX®

- Gas connection kit for caster-mounted equipment
- Kit Contains: Blue Hose® gas connector, SnapFast®, the only Push-to-Connect Quick-Disconnect, coiled restraining device with installation mounting hardware, full port gas ball valve, two 90 degree street elbows

Item #	Description	Price/ea.
1650KITS48	1/2" ID x 48" L	Call
1650KIT2S48	1/2" ID x 48" L w/2 Swivels	Call
1675KITS48	3/4" ID x 48" L, Single Swivel	Call
1675KIT2S48	3/4" ID x 48" L, Double Swivel	Call
16100KITS48	1" ID x 48" L	Call
16100KIT2S48	1" ID x 48" L w/2 Swivels	Call



SAFETY-SET®

- Unbreakable - Allows equipment to be returned to its desired or design-specified location after every cleaning or maintenance
- Certified to NSF/ANSI Standard 169 – Special Purpose Food Equipment & Devices
- Accommodates 3", 4", 5" and 6" casters, withstands up to 1,000 psi of crush force and can be used with all caster-mounted equipment: salad carts, refrigerators
- Includes two individual Safety-Set units, one thumb screw hardware pack, one moveable equipment warning sticker to be applied to the equipment and a detailed installation instruction booklet

Item #	Description	Price/pr.
PS	9 3/4" x 4 1/4" x 1", Flame Retardant Injection Molded Thermoplastic Polyurethane	Call



SMART-TABS® CONCENTRATED FRYER CLEANER

- Concentrated fryer cleaner boil-out tablets contain new nano-science technology formula
- Made for the toughest fryer cleaning jobs
- Low foaming tablets increase efficiency and extend fryer oil life

Item #	Description	Price/cs.
DST32	(32) 2 1/4 oz. Tabs	Call



New!



FALL SAVINGS EVENT

FREE GIFT

with \$25 in-store purchase

One time use per company. In-store only. Must surrender coupon in store. Valid 10/1 - 12/31/19.

CALDARELLA'S
RESTAURANT SUPPLY

Family owned & operated since 1898

Telephone: (915) 771-7780
Toll Free: 1 (877) 741-8038
caldarellas.com



CALDARELLA'S
RESTAURANT SUPPLY

Family owned & operated since 1898

is now a distributor for Ice-O-Matic!

We now stock ice machines and filters,
and are also able to help with parts.

The CIM0330/0335 modular cube ice machine offers a safe and
user-friendly machine packed with innovative features to simplify life.

GIVE US A CALL FOR MORE INFORMATION OR TO ORDER!

(915) 771-7780

CALDARELLA'S RESTAURANT SUPPLY

201 NORTH CLARK DRIVE

EL PASO, TEXAS 79905

WWW.CALDARELLAS.COM



VISIT US

201 North Clark Drive
El Paso, Texas 79905
9 AM - 5 PM Monday - Friday
9 AM - 12 PM Saturday

CALDARELLA'S RESTAURANT SUPPLY

Family owned & operated since 1898

GIVE US A CALL

Telephone: (915) 771-7780
Toll Free: 1 (877) 741-8038
Fax: (915) 771-6124

CONNECT ONLINE

Email: tessa@caldarellas.com
Facebook: [CaldarellasRestaurantSupply](https://www.facebook.com/CaldarellasRestaurantSupply)

Prices & specifications are subject to change. Some items may be special order. Not responsible for typographical errors.

Freight Transportation Charges: All Prices, except where noted, do not include freight and delivery. All truck shipments are freight collect. UPS charges must be added to your invoice. **Claims:** All merchandise should be checked against packing slip. Any damage or loss sustained in shipment should be reported to the carrier and noted on the freight bill. **Price Changes:** All Prices and specifications are subject to change without notice. Items on which there has been a major increase will not be shipped. We assume minor changes are understandable and ship accordingly. **Returns:** No returns will be accepted without prior authorization. Please call us first for your protection. **Note: Some items may be shipped special order. Prices good until 12/31/2019.**

NAFED

C5™ SERIES HEATED HOLDING & PROOFING CABINETS

- Insulation Armour™ technology retains heat, saves energy, and provides a cool-to-touch exterior
- Durable polymer construction is impact and stain resistant
- Provides fast heat-up and recovery through a thermostatically controlled, forced convection system
- Built with high quality, Type 304 stainless steel
- Thermostatically controlled, 200°F max. operating temp.
- Available in Red, Blue or Gray (standard colors)



Item #	Description	Price/ea.
3 SERIES		
C539-HDS-U	Full Height, Heated Holding, Dutch Solid, Universal Wire	Call
C539-CDC-U	Full Height, Combination, Dutch Clear, Universal Wire	Call
C543-ASFS-U	Undercounter, 30"W x 33"D x 30 1/2"H, 120V, 60 Hz, Full Solid Doors, 5 Universal Slides Provided (10 max), Holds 5 18" x 26" Sheet Pans	Call
4 SERIES		
C549-ASDS-U	Full Height, Universal Slides, Dutch Solid Door, 30"W x 33"D x 69 1/2"H, 120V, 11.7A, 60Hz, 1400W	Call
C549-ASFS-U	Full Height, Universal Slides, Full Solid Door, 30"W x 33"D x 69 1/2"H, 120V, 11.7A, 60Hz, 1400W	Call

METRO PREPMATE™ PREP WORKSTATIONS

- Includes cutting board, knife holder, (2) magic rings, cutting board holder and pan holder
- Capable of 5 work surface heights (35 1/8" to 39 1/8")
- NEW QwikSet easy height adjustment
- Stable: Four total lock casters - both wheel and hub lock
- Wipe down and take apart without tools for sanitation
- Construction: Based on Metro Super Erecta commercial grade shelving systems with 1" shelf adjustability, 800 lb. shelf load capacity and unlimited configurations



Item #	Description	Price/ea.
MS1836-FGFG-PK2	18 x 36 Solid Galvanized Top Shelf, Solid Galvanized Bottom Shelf, Chrome Posts	Call
MS1836-FSFS-PK2	18 x 36 Solid Stainless Steel Top Shelf, Stainless Steel Bottom Shelf, Stainless Steel Posts	Call
MS1836-FSNK-PK2	18 x 36 Solid Stainless Steel Top Shelf, Metroseal 3 Epoxy Wire Bottom Shelf, Stainless Steel Posts	Call
MS1836-FSPR-PK2	18 x 36 Solid Stainless Steel Top Shelf, SuperErecta Pro Hybrid Mat Bottom Shelf, Metroseal 3 Epoxy Posts	Call
MS1836-PRPR-PK2	18 x 36 SuperErecta Pro Hybrid Mat Top Shelf, SuperErecta Pro Hybrid Mat Bottom Shelf, Metroseal 3 Epoxy Posts	Call

MIGHTYLITE™ INSULATED FOOD PAN CARRIERS

- Ultra light design using advanced polymer foam construction (EPP) which also provides effective thermal insulation
- Built-in "gasketless" door seal and large 5 1/2" x 8 1/2" label holder/white board
- Stackable units come with 8 convenient handles
- 270° swing door for easy loading and storage

Item #	Description	Price/ea.
ML300	Up To 4 Full Size Pans, Red/Black	Call
ML400	Up To 6 Full Size Pans, Red/Black	Call
<ul style="list-style-type: none"> • Multi-purpose carrier with 63% more storage • Use as a top loader, cooler or server • Sized to fit pans, plates, cans, bottles and containers 		
ML180	22.07" x 12.95" x 8.5", Red/Black	Call
ML180XL	22.07" x 12.95" x 13.25", Red/Black	Call



MIGHTYLITE™ ACCESSORIES

Item #	Description	Price/ea.
MLC1	Wire Caddy, 13" x 21" x 1", Silver, Included w/Every Carrier, for Holding Hot and Cold Packs	Call
MLP1	Insulated Thermal Partition, 13" x 21" x 1 1/2", Black	Call
MLH1	Heater Slides in a Front Loader or Drops in a Top Loader, 120V, 250W, NEMA 5-15P, 20 3/8" W x 12 2/8" D x 1 1/2" H, Stainless Steel	Call
MLD1	Dolly w/Strap, 20 5/8" x 29 3/4" x 9 1/2", Gray, Plate Mounted Casters, 2 Swivel and 2 Swivel w/Brakes	Call

